| Total 2002 Population 5,140  |                                   |   | Community Options and MA Waiver Programs |                                       |                                 |                      |  | Per<br>10,000         |                  |
|--|-----------------------------------|---|--|---------------------------------------|---------------------------------|----------------------|--|-----------------------|------------------|
| Population per square mile 11  |                                   |   | İ  | •                                     |                                 | Staffing - FTE       | Number   | Populátio             |                  |
| County   | ranking in                        | state (   | 1-72) 69                                 | COP<br>MA_Waiver *                    | Clients                         | Costs                | Total staff Administrative Professional staf Technical/Parapro Support staff | 6                     | 12               |
| obunity  | ramang in                         | ocaco (   | . 72) 00                                 | COP                                   | OTTOLLEG                        | \$672                | Administrative   | ĭ                     | 1.9              |
| Age  | Female                            | Male  | Total                                    | MA Waiver *                           | •                               | Ψ012                 | Professional staf  | f 2                   | 3 9              |
| 0-14   | 420                               | 450   | 870                                      | MA Walver ^<br>  CIP1A<br>  CIP1B     | 1                               | \$53,503             | Technical /Paranco   | f 2                   | 3.0              |
| 15-19  |                                   | 190   | 330                                      | CTD1R                                 | 11                              | \$05,000             | Support staff  | 1. 2                  | 1 0              |
| 20-24  | 90                                | 110   | 210                                      | CIPS                                  |                                 | Ψ35, <del>1</del> 32 | oupport starr  | •                     | 1.5              |
| 25-29  | 90                                | 90  | 190                                      | CIP2<br>COP-W                         | 30                              | φυ<br>\$175 623      | Funding  |                       | Don canit        |
| 30-34  | 140                               | 140   | 290                                      | COL-W                                 | 52                              | ψ175,025<br>ΦΩ       | Funding<br>Total<br>Local Taxes  | ¢160 540              | 431 31           |
| 35-39  | 200                               | 190   | 380                                      | CSLA<br>Brain Injury<br>Total COP/Wvr | •                               | φΩ<br>ΦΟ             | Total  | \$102,342<br>\$50,172 | φυ1.04<br>¢11.41 |
|  | 210<br>210                        |   |  | Totalli Illjury                       | . 44                            | φυ<br>ΦΩΩΕ ΩΩ1       | LUCAI TAXES  | φο9, 17ο              | <b>Ф</b> 11.41   |
| 40-44  | 390                               | 240   | 450<br>820                               | TOTAL COP/WVI                         | S 44                            | \$325,291            | LICENCED   | CCTADI TOUME          | NTO              |
| 45-54  | 000                               | 430   |  | \$38,591 of the above waiver costs    |                                 |                      |  |                       |                  |
| 55-64  | 330                               | 330   | 680                                      |                                       |                                 |                      | T  | 0                     | F11:4:-          |
| 65-74  | 240<br>160                        | 260   | 500                                      | were paid as                          | Tocal match                     | /overmatch           | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming                    | Capacity              | racilities       |
| 75-84  | 160<br>90                         | 140   | 300                                      | using COP fu                          | nas. Inis a                     | mount 1s             | Bed & BreakTast  | 11                    | 2                |
| _85+_  | 90                                | 40  | 130                                      | not included                          | in above co                     | P costs.             | Camps  | 124                   | 6                |
| Total  | 2,510                             | 2,620   | 5,140                                    |                                       |                                 | ·                    | Hoteis, Moteis   | 96                    | 8                |
| _  |                                   |   |  | * Waiver cos                          |                                 |                      | Tourist Rooming  | 16                    | 6                |
| Age  | Female                            | Male  | Total                                    | include fed                           | eral funding                    |                      | 1 10010  |                       |                  |
| 0-17   | 510                               | 560   | 1,070                                    |                                       |                                 |                      | Restaurants  |                       | 12               |
| 18-44  | 510<br>790<br>720<br>490<br>2,510 | 850   | 1,650                                    |                                       | Clients                         | Costs                | Vending  |                       | 2                |
| 45-64  | 720                               | 760   | 1,500                                    | Eligible and                          |                                 |                      |  |                       |                  |
| 65+  | 490                               | 440   | 930                                      | Eligible and<br>Waiting               | 0                               | n/a                  |  |                       |                  |
| Total  | 2,510                             | 2,620   | 5,140                                    |                                       |                                 |                      |  |                       |                  |
|  |                                   |   |  | (Family Care                          | not provided                    | in county)           | WIC PA   | RTICIPANTS            |                  |
| Poverty  | Estimates fo                      | or 2000   |  |                                       |                                 |                      |  |                       |                  |
| -  | Esti                              | nate  | (C.I.+/-)                                |                                       |                                 |                      |  |                       | Numbe            |
|  |                                   |   | Note: Eligible and waiting clients       |                                       |                                 | Pregnant/Postpartum  |  |                       |                  |
| •  |                                   | 9.1%  | (14%)                                    | will be pha                           | sed into the                    | COP and MA           | Infants  |                       | 5                |
| Ages 0-17 144 29   |                                   | Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. |  |                                       | Infants Children, age 1-4 Total |                      |  |                       |                  |
| All ages 465 64<br>9.1% (14%)<br>Ages 0-17 144 29<br>12.4% (20%)   |                                   | (20%)   |  |                                       |                                 | Total                |  | 19                    |                  |
|  |                                   |   |  |                                       |                                 |                      |  |                       |                  |
|  | EMPLO'                            | YMENT   |  | ĺ                                     |                                 |                      | CANCER IN  | CIDENCE (20           | 000)             |
| verage w   | age for job                       | s covere  | d  | <br>  Home Health A                   | gencies                         |                      | Primary Site   | `                     | ,                |
| y unemployment compensation \$19,694   |                                   |   | i natianta                               | _                                     |                                 | l Breast             |  | 6                     |                  |
| lote: based on place of work   |                                   |   | Patients<br>Patients per                 | 10.000 pop.                           |                                 | Cervical             |  | Ō                     |                  |
|  |                                   |   |  |                                       | ,                               | -                    | !  |                       | 1                |
| abor Force Estimates Average   |                                   |   | Nursing Homes                            |                                       | 1                               | Lung and Bronchus    |  | 2                     |                  |
| aboi 101   | oc Estimate                       | •   | Average                                  | Licensed hed                          | 9                               | 74                   | Prostate   |                       | 5                |
| Civilian Labor Force 1 707   |                                   |   | Treelised pen                            | 5<br>+ <u>a</u>                       | δ3 δ <sub>0</sub><br>14         | Other sites          |  | 11                    |                  |
| Number employed 1,797  |                                   | Docidente en  | Dog 21                                   | 0J.0%                                 | Total                           |                      | 25   |                       |                  |
| Number   | embroked                          |   | 1,034                                    | Residents on                          | DEC.31                          | וס                   | IULAL  |                       | 25               |
| Number   | unemproyed                        | _   | 163                                      | Hestuents ag                          | e op or orde                    | ).                   | <br>  Note: Totals shown   |                       |                  |
| Annual abor Force Estimates Average  Civilian Labor Force 1,797 Number employed 1,634 Number unemployed 163 Unemployment rate 9.1% |                                   |   |  |                                       |                                 |                      |  |                       |                  |

|   |                        |                         | NATA  | LITY                    |                                |  |                        |                                     |
|---|------------------------|-------------------------|---|-------------------------|--------------------------------|--|------------------------|-------------------------------------|
| TOTAL LIVE BIRTHS<br>Crude Live Birth Rate<br>General Fertility Rat |                        | 36<br>7.0<br>40.4       | Birth Order<br>First<br>Second<br>Third<br>Fourth or higher                             | Births<br>14<br>14<br>6 | Percent<br>39<br>39<br>17<br>6 | Marital Status<br>of Mother<br>Married<br>Not married<br>Unknown                                     | Births<br>33<br>3<br>0 | Percent<br>92<br>8<br>0             |
| Live births with repo   | rted                   |                         | Unknown   | 0                       | 0                              | OTKTOWIT   | U                      | U                                   |
| congenital anomalies  | i cca                  | 0 0.0%                  | OHRHOWH   | O                       | O                              | Education  |                        |                                     |
| Delivery Type Vaginal after previous cesarean Forceps Other vaginal | Births<br>0<br>0<br>29 | Percent<br>0<br>0<br>81 | First Prenatal<br>Visit<br>1st trimester<br>2nd trimester<br>3rd trimester<br>No visits | Births<br>34<br>2<br>0  | Percent<br>94<br>6<br>0        | of Mother<br>Elementary or le<br>Some high school<br>High school<br>Some college<br>College graduate | 3<br>15<br>9           | Percent<br>0<br>8<br>42<br>25<br>25 |
| Primary cesarean  | 6                      |                         | Unknown   | 0                       | 0                              | Unknown  | 0                      | 0                                   |
| Repeat cesarean   | 1                      |                         |   |                         |                                |  |                        |                                     |
| Other or unknown  | 0                      | 0                       | Number of Prenatal  |                         |                                | Smoking Status   |                        |                                     |
| Diothyraiaht  | Dintha                 | Danaant                 | Care visits   | Births                  | Percent                        | of Mother  | Births                 | Percent                             |
| Birthweight<br><1,500 gm  | O BILCUS               | Percent<br>0.0          | No visits<br>1-4  | 0<br>0                  | 0<br>0                         | Smoker<br>Nonsmoker  | 6<br>30                | 17<br>83                            |
| 1,500 gm  | 2                      |                         | 5-9   | 7                       | 19                             | Unknown  | 0                      | 03<br>0                             |
| 2,500-2,499 gm  | 34                     |                         | 10-12   | 10                      | 28                             | OHKHOWH  | U                      | U                                   |
| Unknown   | 0                      |                         | 13+<br>Unknown  | 19<br>0                 | 53<br>0                        |  |                        |                                     |
|   |                        |                         | Low Birthweight   |                         | Trimest                        | <br>er of First Prenata  | <br>l Visit            |                                     |
|   |                        |                         | (under 2,500 gm)  | 1st Tr                  | imester                        | 2nd Trimester  | Other,                 | 'Unknown                            |
| Race of Mother  |                        |                         | Births Percent  | Births                  | Percent                        | Births Percent   | Births                 | Percent                             |
| White   | 36                     | 100                     | 2 5.0   | 34                      | 94                             | 2 6  |                        | •                                   |
| Black<br>Other  | 0<br>0                 | 0                       |   | •                       | •                              |  | •                      | •                                   |
| Unknown   | 0                      | 0                       |   | •                       | •                              |  |                        | •                                   |
|   |                        |                         |   |                         |                                |  | ·                      |                                     |
|   |                        |                         | Low Birthweight   |                         | Trimest                        | er of First Prenata  | l Visit                | 1                                   |
|   | F                      | ertility                | (under 2,500 gm)  | 1st Tr                  | imester                        | 2nd Trimester  | Other,                 | 'Unknown                            |
| Age of Mother   | Births                 | Rate                    | `Births Þercent´  | Births                  | Percent                        | Births Percent   | Births                 | Percent                             |
| <15   | 0                      |                         |   |                         |                                |  |                        |                                     |
| 15-17   | 0                      | 0                       | <br>*   | *                       | •                              | <br>*  |                        | •                                   |
| 18-19   | 4                      | 68                      | •   |                         |                                | •  | *                      | •                                   |
| 20-24   | 7<br>7                 | 74<br>76                |   | 5<br>7                  | 71                             | 2 29   | •                      | •                                   |
| 25-29<br>30-34  | 11                     | 76<br>76                |   | 11                      | 100<br>100                     |  | •                      | •                                   |
| 35-39   | 7                      | 76<br>35                |   | 7                       | 100                            |  | •                      | •                                   |
| 33-39<br>40+  | 0                      | 0                       | •   | ,                       | 100                            |  | •                      | •                                   |
| 40∓<br>Unknown  | 0                      |                         | : :   | •                       | •                              |  | •                      | •                                   |
| 2   | Ū                      |                         |   | •                       | •                              | •  | •                      | •                                   |
| Teenage Births  | 4                      | 27                      | * Not   | reported                | : age or r                     | ace category has le  | ss than 5              | births                              |

| REPORTED* CASES OF SELECTED DISEASES  | Note: Death rates (<br>  neonatal, and<br>  Perinatal and | (except in<br>d postneon<br>d fetal de | fant) are<br>atal death<br>ath rates | per 100,000 population.<br>rates are per 1,000 li<br>are per 1,000 live birt<br>culated for fewer than | Infant,<br>ve births.<br>hs plus |             |
|---|---|--|--------------------------------------|--|----------------------------------|-------------|
| Disease Number Campylobacter Enteritis 0 Giardiasis 0 Hepatitis Type A 0                    | TOTAL DEATHS<br>Crude Death Rate                          |  | 48<br>935                            | Selected<br>  Underlying Cause<br>  Heart Disease (total)<br>  Ischemic heart disea                    | 20                               | Rate<br>389 |
| Hepatitis Type B** 0 Hepatitis NANB/C <5 Legionnaire's 0                                    | Age<br>1 - 4<br>5 - 14                                    | Deaths                                 | Rate                                 | Cancer (total) Trachea/Bronchus/Lun Colorectal   | 14<br>g 3<br>2                   |             |
| Lyme 0<br>Measles 0   | 15-19<br>20-34  | <u>1</u>                               | :                                    | Female Breast<br>Cerebrovascular Disea   | se 1                             | .*          |
| Meningitis, Aseptic 0 Meningitis, Bacterial 0 Mumps 0                                       | 35-54<br>55-64<br>65-74                                   | 5<br>5<br>6                            | :                                    | Lower Resp. Disease<br>Pneumonia & Influenza<br>Accidents  | 3                                |             |
| Pertussis 0 Salmonellosis 0 Shigellosis 0   | 75-84<br>85+  | 15<br>16                               |                                      | Motor vehicle Diabetes Infect./Parasitic Dis   | 1                                |             |
| Tuberculosis 0  | Infant  | Dootho                                 | Doto                                 | Suicide  * Rate for female bre   | •                                |             |
| <ul> <li>2002 provisional data</li> <li>Includes all positive HBsAg test results</li> </ul> | Mortality<br>Total Infant<br>Neonatal                     |  |                                      | on female popul  | ation.                           |             |
| Sexually Transmitted Disease  | Postneonatal<br>Unknown                                   |  |                                      | ALCOHOL AND DRUG ABUS<br>OR CONTRIBUTING CA  |                                  |             |
| Chlamydia Trachomatis 0<br>Genital Herpes 0   | Race of Mother<br>White                                   |  |                                      | Alcohol<br>Other Drugs<br>Both Mentioned   | 1<br>2                           |             |
| Gonorrhea 0<br>Syphilis 0   | Black<br>Other<br>Unknown                                 | •                                      | •                                    | Both Mentioned<br>  MOTOR VEHIC  |                                  |             |
|   | Birthweight   |  |                                      | Note: These data are   | based on 1                       | ocatio      |
| IMMUNIZATIONS   | <1,500 gm<br>  1,500-2,499 gm<br>  2,500+ gm              |  | :                                    | of crash, not  |                                  |             |
| Compliance Level Compliant 796  | Unknown   | ·                                      |                                      | Type of Motor<br>Vehicle Crash<br>Total Crashes<br>Alcohol-Related                                     | Injured<br>53                    | Killed<br>0 |
| Non-compliant 1<br>Percent Compliant 99.9   | Perinatal<br>Mortality                                    | Deaths                                 | Rate                                 | With Citation:<br>  For OWI  | 4                                | 0           |
|   | Total Perinatal   |  |                                      | For Speeding<br>Motorcyclist   |                                  | 0           |
|   | Fetal   | •                                      | •                                    | Bicyclist<br>Pedestrian  | 0                                | 0           |

Per Average Charge Per Average Charge
DISEASE / 1,000 Stay Average Per DISEASE / 1,000 Stay Average Per
AGE GROUP Number Pop (Days) Charge Capita AGE GROUP Number Pop (Days) Charge Capita Injury-Related: All Alcohol-Related Total Total 19 <18 2 18-44 7 45-64 4 65+ 6 18-44 2 45-64 3 Pneumonia and Influenza Total 2 <18 0 45-64 0 65+ 1 Injury: Hip Fracture Total 0 65+ 0 Cerebrovascular Disease Injury: Poisonings Total 0 18-44 0 Total 8 . 45-64 2 . 65+ 6 . Psychiatric
Total 18
<18 7
18-44 7
45-64 3
65+ 1 Chronic Obstructive Pulmonary Disease Drug-Related Coronary Heart Disease
Total 20 3.9 2.4 \$17,713
45-64 11 . . .
65+ 8 . . . Total 18-44 Total Hospitalizations Total 215 41.9 5.2 \$16,734 \$700 <18 22 20.5 5.2 \$9,978 \$205 18-44 41 24.9 3.6 \$13,824 \$344 45-64 72 48.3 5.1 \$17,870 \$862 65+ 80 86.5 6.1 \$19,060 \$1,649 ----- PREVENTABLE HOSPITALIZATIONS\* ------Neoplasms: Female Breast (rates for female population) Total 6 . 3.2 \$7,656
<18 1 0.9 2.0 \$2,301
18-44 1 0.6 3.0 \$8,430
45-64 1 0.7 5.0 \$8,017
65+ 3 3.2 3.0 \$9,063 Neoplasms: Colo-rectal \$2 Total 0 . 65+ 0 . \$5 \$5 Neoplasms: Lung Total \* Hospitalizations for conditions where timely and effective Diabetes Total 2 . 65+ 1 . ambulatory care can reduce the likelihood of hospitalization.